

SAFETY DATA SHEET

SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Chemical name (Product name) Rubbing Compound 100 Medium Cut

Product number 100020

SDS Number rdjp17-3

Manufacturer/Supplier SOLAR CO.,Ltd.

Address 1-7,Nunobiki-cho-2-chome,Chuo-ku Kobe 651-0097, Japan

Division Technical development department.

Phone +81-790-49-2366

Fax +81-790-49-1588

SECTION 2- HAZARDS IDENTIFICATION

GHS classification

HEALTH HAZARDS Acute toxicity(Oral) Not classified

Skin corrosion/irritation Category2

Serious eye damage/eye irritation Category2A

Skin sensitizer Category1

Carcinogenicity Category1A

Reproductive toxicity Category1B

Specific target organ toxicity (Single exposure)
Category 1 (Respiratory system)

Specific target organ toxicity (Single exposure)
Category 2 (Kidney)

Specific target organ toxicity (Single exposure)
Category 3 (Anesthetic system,Respiratory tract
irritation)

Specific target organ toxicity(repeated exposure)
:Category1(Respiratory system,Kidney)

Specific target organ toxicity(repeated exposure)
:Category2(Respiratory tract)

Hazards not stated here are "Not applicable" or
"Classification not possible".

GHS label
Symbols



Signal words
Hazard statements

Danger

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H350 May cause cancer
H360 May damage fertility or the unborn child
H370 Causes damage to organs
H371 May cause damage to organs
H372 Causes damage to organs through prolonged or repeated exposure
H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements

【Prevention】

Obtain special instructions before use.(P201)
Do not handle until all safety precautions have been read and understood.(P202)
Do not breathe gas.(P260)
Do not breathe mist/vapours/spray.(P260)
Do not breathe dust/fumes.(P260)
Wash hands thoroughly after handling. (P264)
Wash eyes thoroughly after handling. (P264)
Do not eat, drink or smoke when using this product. (P270)
Use only outdoors or in a well-ventilated area. (P271)
Contaminated work clothing should not be allowed out of the workplace.(P272)
Wear protective gloves/eye protection/face protection. (P280)

【Response】

IF ON SKIN: Wash with plenty of soap and water. (P302+P352)
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. (P304+P340)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)
IF exposed or concerned: Get medical advice/attention.(P308+P313)
Call a POISON CENTRE or doctor/physician if you feel unwell. (P312)

Get medical advice/attention if you feel unwell.(P314)

Specific measures is required. (P321)

If skin irritation occurs: Get medical advice/attention. (P332+P313)

If skin irritation or rash occurs: Get medical advice/attention.(P333+P313)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Take off contaminated clothing and wash it before reuse. (P362+P364)

【Storage】

Store in well-ventilated place. Keep container tightly closed. (P403+P233)

Store locked up.(P405)

【Disposal】

Dispose of contents/container in accordance with the Waste Disposal and Public Cleansing Law and related laws and regulations. (P501)

SECTION 3- COMPOSITION/INFORMATION ON INGREDIENTS

Classification of the substance or mixture: Mixture

Chemical name or generic name	Concentration or concentration ranges	Chemical formula	Reference number in gazetted list in Japan		CAS No.
			METI No.	ISHL No.	
			(ENCS No.)		
See below for materials related to three lows of the SDS(Note 1)					

The Industrial Safety and Health Law

Dangerous goods and hazardous substances should be notified name. (Act: Article 57-2, Enforcement Ordinance: Article 18-2 Attached Table 9)

Xylene (Designated number by Laws: 136) (Less than 1.0%)

Silica (Designated number by Laws: 312) (30%-40%)

Turpentine (Designated number by Laws: 377) (Less than 5.0%)

Kerosene(Designated number by Laws: 380) (20%-30%)

SECTION 4- FIRST AID MEASURES

Inhalation	<p>In case of feeling unwell by inhalation of vapor/gas, move into fresh air and keep at rest, and seek medical assistance.</p> <p>If breathing is difficult or not breathing, Immediately give artificial respiration. Get immediate medical advice/attention.</p>
Skin contact	<p>Remove/Take off immediately all contaminated clothing or shoes.</p> <p>Gently wash with plenty of soap and water.</p> <p>If abnormal changes are observed in appearance, or irritant or pain persists, or if you feel unwell, seek medical assistance.</p>
Eyes contact	<p>Do not rub or close eyes tightly.</p> <p>Immediately flush carefully with plenty of clean water for at least 15 minutes. Consult an ophthalmologist.</p> <p>Hold eyelids open and away from eyeballs with fingers to ensure that all surfaces are flushed thoroughly.</p> <p>Remove contact lenses, if present and easy to do.</p>
Ingestion	<p>Rinse mouth well with clean water.</p> <p>Do not induce vomiting unless.</p> <p>Never give anything by mouth to an unconscious person.</p> <p>Get immediate medical advice/attention.</p>
Protection for first-aides	<p>Wear safety equipments as indicated in section 8 (EXPOSURE CONTROL/PERSONAL PROTECTION) during handling.</p>

SECTION 5- FIRE FIGHTING MEASURES

Suitable extinguishing media	<p>In case of fire, use water spray, foam, powder, carbon dioxide and dry sand.</p>
Special fire fighting procedures	<p>Use designated extinguishing media.</p> <p>Extinguish the fire from the windward side of the fire.</p> <p>Remove surrounding combustible materials immediately.</p> <p>Cool surrounding equipment with water spray.</p>

Special protective equipment and precautions for fire-fighters

Wear suitable Self-Contained Breathing Apparatus (SCBA), Chemical proof protective clothing.

SECTION 6- ACCIDENTAL RELEASE MEASURES

Personal precautions (protective equipment and emergency measures)

Provide ventilation adequately until finishing process.

Wear suitable protective equipment as indicated in section 8 during handling.

Exclude non-essential personnel.

Environmental precautions

Prevent from entering into drains, ditches, basement or closed place.

Methods and materials for containment and cleaning up

Collect in a sealable container.

Prevention measures against secondary accident

Properly treat deposits, waste and etc., on the basis of the applicable laws and regulations.

Promptly remove the sources of ignition.

SECTION 7- HANDLING AND STORAGE

Handling

Technical measures

Take equipment measures and wear suitable protective equipment as indicated in section 8 (EXPOSURE CONTROL/PERSONAL PROTECTION) .

Prohibit the use of the high temperatur, spark and fire of around.

Precautions for safe handling

Close container tightly after each use.

Do not handle until all safety precautions have been read and understood.

Wash body, face, hands, eyes thoroughly after handling.

Storage

Appropriate storage conditions

Keep container tightly closed.

Store in a dark, cool and well ventilated area.

Don't freeze.

SECTION 8- EXPOSURE CONTROL/PERSONAL PROTECTION

Component	Management Concentration	Allowable concentration (Society for Occupational Health)	Allowable concentration (ACGIH)
Kerosene			TWA 200 mg/m ³ (P), STEL - (as total hydrocarbon vapor) (Skin)
Xylene	50ppm	50ppm(217mg/m ³)	TWA 100 ppm, STEL 150 ppm
Turpentine		50ppm(280mg/m ³)	TWA 20 ppm, STEL -
Silicon dioxide		【Dust allowable concentration】 (Respirable crystalline silica)0.03mg/m ³	TWA 0.025 mg/m ³ (R), STEL -

Facility Protection

If dust is generated in the polishing work, etc., place local ventilation system.

Install shower, hand-wash, cleansing facilities close to handling location, and clearly display the position.

Personal protection equipments

Respiratory protection

Use dust masks.

Hand protection

Use impermeable protective groves (rubber groves).

Eye protection

Wear safety glasses (safety glasses with side wall, safety goggles).

Skin and body protection

Wear work clothes, boots and apron.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical form

Paste

Color

Yellowish brown

p H

ca10.3

Flush point

60°C (SETA closed-cup/analogy value)

Specific gravity (Density)

ca1.20

SECTION 10- STABILITY AND REACTIVITY

Stability	Stable at normal conditions of handling.
Possibility of hazardous reaction	No information available.
Condition to avoid	No information available.
Hazardous decomposition products	No information available.

SECTION 11- TOXICOLOGICAL INFORMATION

Acute toxicity	Oral	ATEmix in the mixture >2000mg/kg. It is not classified at Acute toxicity(Oral).
Skin corrosion/irritation		Based on the component of Category 2 Skin corrosion/irritation are $\geq 10\%$. It is corresponding to the Category 2.
Serious eye damage/eye irritation		Based on the component of 10 X(Category 1 Serious eye damage/eye irritation and Category 1 Skin corrosion/irritation) are $\geq 10\%$. It is corresponding to the Category 2A.
Skin sensitizer		Based on the component of Category 1 Skin sensitization are $\geq 1\%$. It is corresponding to the Category 1.
Carcinogenicity		Based on the component of Category 1A Carcinogenicity are $\geq 0.1\%$. It is corresponding to the Category 1A.
Reproductive toxicity		Based on the component of Category 1B Reproductive toxicity are $\geq 0.3\%$. It is corresponding to the Category 1B.
Specific target organ toxicity (Single exposure)		Based on the component of Category 3 (Anesthetic system) specific target organ toxicity are $\geq 20\%$. It is corresponding to the Category 3(Anesthetic system). Based on the component of Category 1 Specific target organ toxicity (Kidney) are $\geq 1\%$ to <10%. It is corresponding to the Category 2 (Kidney). Based on the component of Category 3 (Respiratory tract irritation) specific target organ toxicity are $\geq 20\%$. It is corresponding to the Category 3 (Respiratory tract irritation).

Specific target organ toxicity
(Repeated exposure)

Based on the component of Category 1 Specific target organ toxicity (Respiratory system) are $\geq 10\%$. It is corresponding to the Category 1 (Respiratory system).

Based on the component of Category 1 Specific target organ toxicity (Respiratory tract) are $\geq 1\%$ to $<10\%$. It is corresponding to the Category 2 (Respiratory tract).

Based on the component of Category 1 Specific target organ toxicity (Respiratory system) are $\geq 10\%$. It is corresponding to the Category 1 (Respiratory system).

Based on the component of Category 1 Specific target organ toxicity (Kidney) are $\geq 10\%$. It is corresponding to the Category 1 (Kidney).

SECTION 12- ECOLOGICAL INFORMATION

No data

SECTION 13- DISPOSAL CONSIDERATIONS

Residual waste

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

Entrust disposal to officially recognized expert traders or disposal dealers with the permission of the prefectural governor, or entrust to local public entities if they are dealing disposal.

Contaminated containers and packaging

Recycle used containers by cleaning or dispose appropriately in accordance with official regulation.

Dispose of empty container after eliminating contents completely.

SECTION 14- TRANSPORT INFORMATION

International regulation Marine transport

Not applicable

Marine Pollutant

Not applicable

Transport in bulk according to MARPOL 73/78, Annex II, and the IBC code.

Not applicable

Air Transport

Not applicable

Domestic regulation

Land transport

Follow Fire Service Act and Road law

	Marine transport	Not applicable
	Marine Pollutant	Not applicable
	Transport in bulk according to MARPOL 73/78,Annex II ,and the IBC code.	Not applicable
Special safety measure	Air Transport	Not applicable
		Follow the description in the SECTION 7- HANDLING AND STORAGE
		Make sure no leakage of the container, loading to avoid fall/damage and ensure a prevention of collapse of cargo at the transportation.
Emergency Response Guide No.		None

SECTION 15- REGULATORY INFORMATION

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.	Priority Assessment Chemical Substances (Laws and regulations Article 2 Paragraph 5)
The Industrial Safety and Health Law	The working environment assessment standard (Article 65-2 (1)). Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57-1 Enforcement Ordinance 18). Dangerous/Flammable substances (Enforcement Order Appended Table 1-4). Dangerous or Harmful Substances Subject to Be Indicated their Names, etc. (Article 57-2 Enforcement Ordinance 18-2 Appended Table 9).
Water Pollution Control Act	Designated Substances (Article 2-4 Enforcement Order 3-3).
Fire Service Act	Specify combustibles,Flamable solids
Offensive Odor Control Act	Specified odor substance (Enforcement Order Act 1).
Air Pollution Control Act	May be applicable as Hazardous Air Pollutants (The ninth central environmental council report). Volatile Organic Compound (Act 4-2)(Applicable substances in Organic Solvent Ordinance)

	Volatile Organic Compound (Act 4-2) (Notification from the Ministry of the Environment to the prefectural).
Labor Standards Act	Illness chemical substances (Article 75-2 of the Act, Enforcement Regulation Article 35 Appended Table 1-2 item 4-1).
PRTR and Promotion of Chemical Management Law(PRTR Law)	Not applicable
Poisonous and Deleterious Substances Control Act	Not applicable

SECTION 16- OTHER INFORMATION

References and sources Database of Japan chemical database Ltd.

SDS of raw materials.

Disclaimer: This safety data sheet (SDS) is based on the latest sources and data which are currently available. It may be updated based on new scientific findings.

The precautions herein are for normal handling.

As cautions described are for normal usage, and it is assumed any chemical product has unknown hazard, extreme caution is required for handling. It is the user's responsibility to determine safe conditions for use of this product. For special handling, please use it in the light of suitable safety measures for application and usage.

Please contact our sales department, Inquiry for this SDS of detailed Information on ingredients and regulatory Information.

Three lows of the SDS (Note.1);

Law concerning Reporting, etc. of Release to the Environment of Specific Chemical Substances and Promoting Improvements in their Management (PRTR act).

Industrial Safety and Health Act (Article 57-2).

Poisonous and Deleterious Substances Control Act.